

Smart Cap-Wearable Visual Guidance System for Blind

Abhishekh G M ^[1], Akshay R C ^[2], Vijay T ^[3], Vinay H J ^[4],
Shruthi S ^[5]

[1], [2],[3], [4] Students, [5] Assistant Professor
Department of Electrical and Electronics Engineering,
PES Institute of Technology & Management, Shimogga, Karnataka, India

ABSTRACT:- Science and technology always try to make human life easier. The people who are having complete blindness or low vision faces many difficulties during their navigation. Blindness can occur due to many reasons including disease, injury or other conditions that limit vision. The main purpose of this paper is to develop a navigation aid for the blind and the visually impaired people. In this paper, we design and implement a smart cap which helps the blind and the visually impaired people to navigate freely by experiencing their surroundings. The scene around the person will be captured by using a NoIR camera and the objects in the scene will be detected. The earphones will give a voice output describing the detected objects. The architecture of the system includes the processor Raspberry Pi 3, NoIR camera, earphones and a power source. The processor collects the frames of the surroundings and convert it to voice output. The device uses TensorFlow API, open-source machine learning library developed by the Google Brain Team for the object detection and classification. TensorFlow helps in creating machine learning models capable of identifying and classifying multiple objects in a single image. Thus, details corresponding to various objects present within a single frame are obtained using TensorFlow API. A Text to Speech Synthesiser (TTS) software called eSpeak is used for converting the details of the detected object (in text format) to speech output. So the video captured by using the NoIR camera is finally converted to speech signals and thus narration of the scene describing various objects is done. Objects which come under 90 different classes like cell phone, vase, person, couch etc are detected.

Keywords: Raspberry Pi 3, TensorFlow API, TTS, eSpeak, NoIR camera

Date of Submission: 23-07-2021

Date of acceptance: 08-08-2021

I. INTRODUCTION:

Vision is one of the very essential human senses and it plays the most important role in human perception about surrounding environment [1]. The blind people face a lot of problem in their daily life. Some face this problem from the time they are born while others due to accidents or of different causes they encountered in this life. For blind persons it will be really difficult to recognize a product of their daily use. This smart cap aims to help the blind in object detection and to provide an audio information about the object detected.

The system helps the blind to navigate independently using real time object detection and identification. The proposed system consists of a Raspberry Pi-3 processor which is loaded with a pre-trained Convolutional Neural Network model (CNN) developed using TensorFlow. The processor is connected to a NoIR camera. The processor is coded in python. The NoIR camera captures the image in real time and will be provided to the Raspberry Pi-3 processor for processing it. The python code uses the COCO model to detect and classify the objects. It will draw boundary boxes around the detected and will also show the category index of the object. The category index of the detected objects will be stored in

a text file. The category index consist of the class name and class id of the detected object. The contents of the text file is converted to voice using the Text to Speech Synthesiser (TTS) software eSpeak. This system is portable and the user can easily carry it.

II. METHODOLOGY:




Fig.1 Block diagram of the proposed system

Smart Cap is based on TensorFlow and text to speech synthesizer software. With a single object detection model, it is possible to classify multiple classes present within an image and also it can specify the exact position of the image (if monitor provided) with a bounding box framing the object. The project is able to detect objects which come under 90 various classes.

The working of the system starts by suitably raspberry pi processor. Thus, the web camera interfaced through one of the USB ports of pi is initialized. Real time video is captured using the NoIR camera which in turn is converted to a set of frames using python command. Here, we are using a simplest and fastest pre trained object detection model

‘ssd_mobilenet_v1_coco’ offered by TensorFlow to detect various objects present within our image. Identification of various objects present in the image is done using detection graphs and weights.

The output contains a box representing a part of the image where a particular object was detected, score representing level of confidence for each of the objects and class label. This can be displayed when the raspberry pi is interfaced with a display system.

By using the text to speech converter software, eSpeak, the text documents like class label, scores etc are converted to voice output. The earphones connected to audio jack of raspberry pi provides voice description corresponding to the objects present in the image.

III. System Description

The different software used in the proposed system are explained below. The system uses TensorFlow API for the object detection and classification. OpenCV helps in the image processing operations and eSpeak performs the text to voice conversion.

Tensor Flow Object Detection API The TensorFlow API is widely used in the field of object detection. It is an open source software library for numerical computation using data flow graphs [8]. Second generation of Google artificial intelligence learning system got much attention and affirmation in the field of machine learning all over the world [2]. The API is trained by using the COCO dataset (Common Objects in Context). This is a dataset which contains 300k images of 90 most commonly found objects. Examples of objects includes:



Fig.3. Objects in COCO model

Single Shot Multibox

Detector (SSD) [5] differs from the R-CNN based approaches by not requiring a second stage preproposal classification operation [6]. This makes it fast enough for real-time The COCO model is achieved by gathering images of complex everyday scenes containing common objects in their natural context. The API provides 5 different models for object detection[4].

Model name	Speed	COCO mAP	Outputs
ssd_mobilenet_v1_coco	fast	21	Boxes
ssd_inception_v2_coco	fast	24	Boxes
rfcn_resnet101_coco	medium	30	Boxes
faster_rcnn_resnet101_coco	medium	32	Boxes
faster_rcnn_inception_resnet_v2_atrous_coco	slow	37	Boxes

Fig.4. Different models for object detection

sd_mobilenet_v1_coco model is used for the object detection applications. However, this comes with a price of reduced precision [6]. The “SSD with MobileNet” refers to a model where model meta architecture is SSD and the feature extractor type is MobileNet.

B. OpenCV


OpenCV uses c/c++ library functions which directly provides the computer with the machine Synthesis Markup Language (SSML). eSpeak helps in changing the characteristics features of voice such as pitch range, frequency and add effects such as echo, whisper etc [7] language code and hence helps in faster execution. Using OpenCV results in more utilization of time.

C. eSpeak

eSpeak is a compact, open source, software speech synthesizer for Linux, Windows, and other platforms [7]. It can provide many languages since it use formant synthesis method. It supports Speech Synthesis Markup Language (SSML). eSpeak helps in changing the characteristics features of voice such as pitch range, frequency and add effects such as echo, whisper etc [7].

IV. RESULT

The system has a simple architecture that transforms the visual information captured using a camera to voice information using Raspberry Pi. The proposed system is cheap and configurable. The device is a real-time system that monitors the environment and provides audio information about the environment making his/her navigation more safe and secure. TensorFlow is widely used in the field of object detection. It is an open source software library for numerical computation using data flow graphsThe object detection can be developed to count the number of objects in a scene. In this paper, the COCO model is used to train the SSD mobilenet which can detection only 90 classes of objects. The number of objects can be increased by training the model by ourselves. Face detection can be also incorporated so that the blind person can easily identify his/her family members and friends



V. CONCLUSION

Technology played a very important role in our life. We use it almost everywhere and every time. The distinct and quick development that we discover each day proof for us that there is no point to give up and struggle with our obstacle in life. Technology offers us a lot of significant solutions to our problems and disapplies. Our role is to use it properly to reach the success level that benefits individual, society and whole country as well

REFERENCE

- [1]. Hanen J abnoun I, F aouzi Benzarti I, Hamid Amiri I, "Object Detection and Identification for Blind People in Video Scene' 2015 15th International Conference on Intelligent Systems Design and Applications (ISDA)
- [2]. Nitin R. Gavai, Yashashree A. Jakhade, Seema A. Tribhuvan, Rashmi Bhattad "MobileNets for Flower Classification using TensorFlow", 2017 International Conference on Big Data, IoT and Data Science (BIGDATA), Vishwakarma Institute of Technology, Pune, Dec 2017
- [3]. Kruti Goyal , Kartikey Agarwal, Rishi Kumar "Face Detection and Tracking Using OpenCV", International Conference on Electronics, Communication and Aerospace Technology ICECA 2017
- [4]. Tsung-Yi Lin, Michael Maire, Serge Belongie, Lubomir Bourdev, Ross Girshick, James Hays, Pietro Perona, Deva Ramanan, C. Lawrence Zitnick, Piotr Dollár, "Microsoft COCO: Common Objects in Context", arXiv:1405.0312v3 [cs.CV] 21 Feb 2015